

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	prevent\$3 with (data adj2 misalignment) and data adj packet	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 12:44
S2	5	(data adj2 misalignment) and data adj packet	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 12:47
S3	135	(receiv\$3 adj2 cell) and (detect\$3 adj2 header)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 12:51
S4	2	S3 and remove adj2 header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:30
S5	1	insert adj2 (null adj byte\$1) and (remove with (null adj byte\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:31
S6	1	insert adj2 (null adj byte\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:31
S7	250	(null adj byte\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:34
S8	1	(add or insert or pad) adj2 (null adj byte\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:32
S9	4	(add or insert) with ((empty or null) adj byte\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:46
S10	2	"5390173".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:48
S11	2	"6104696".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:51
S12	2	"5781549".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:51

S13	1365	counter and (determin\$3 with (number adj2 byte\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:20
S14	300	counter same (determin\$3 with (number adj2 byte\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:42
S15	2	S14 and cell adj2 (data adj packet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:20
S16	42	S14 and predetermined adj number adj byte\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:57
S17	4	"891302".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:58
S18	1	"9891302".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:58
S19	0	"8891302".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:27
S20	0	controller same (ethernet adj interface and SPI-4 adj interface)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:28
S21	4	ethernet adj interface and SPI-4 adj interface	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:30
S22	1	SPI-4 adj uplink	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:30
S23	134	SPI-4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:49
S24	21	medium adj access adj control adj module	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 16:06

S25	2	layer adj two adj switching adj module	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 16:05
S26	0	S24 and S25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 16:06
S27	35	receiv\$3 adj2 packet and header adj detector and remove adj2 header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 17:59
S28	0	header adj detector and counter with (determine near3 bytes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:01
S29	154	header adj detector and counter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:01
S30	4	S29 and determine same bytes	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:02
S31	0	(twelve or "12" ) adj2 (one adj gigabit adj port\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:29
S32	126	gigabit adj ports	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:39
S33	1	S32 and SPI-4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:29
S34	11	gigabit with SPI-4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:38
S35	2	"6697873".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:40